JOURNAL OF THE

# AUDIO ENGINEERING SOCIETY

## SUBJECT AND AUTHOR INDEX

## VOLUME 20-1972 NUMBERS 1-10

# SUBJECT INDEX


## Acoustics

**Acoustical and Electroacoustical Arrangement for the Dynamically Focused Room**—Fritz W. Winckel and Manfred Krause, No. 3, p. 198

**Acoustics and the Active Enclosure**—Cecil R. Cable, No. 10, p. 823

**Comments on "Articulation Loss of Consonants as a Basis for the Design and Judgment of Sound Reinforcement Systems" (L)**—Herbert Chaudiere, No. 5, p. 401

**Reply to "Comments on 'Articulation Loss of Consonants as a Basis for the Design and Judgment of Sound Reinforcement Systems' " (L)**—W. Klein, No. 5, p. 401

**A Complex Sound System Equalization**—G. R. Thurmond, No. 4, p. 282

**Design Room or Sound System? (PN)**—Donald B. Davis, No. 3, p. 208

**The Effects of Transit Time and Intensity Differentiation Upon Recreating Acoustic Fields**—Edward M. Long, No. 2, p. 82

**The Influence of a Single Echo on the Audibility of Speech**—Helmut Haas, No. 2, p. 145

**Measurement of the Acoustical Properties of the Concert Hall of the Michael C. Rockefeller Arts Center, State University College at Fredonia, New York (PN)**—C. A. Lincoln and G. Mbundji, No. 10, p. 842

**Measurements of Auditorium Acoustics with a Storage Oscilloscope and Tone Burst Generator (PN)**—Charles A. Lincoln, No. 6, p. 490

**Reverberation Chambers**—M. Rettinger, No. 9, p. 734

**Room Acoustics of Studios**—Ranger Farrell, No. 1, p. 34

**Soundproofing—An Important Security Factor (L)**—Thomas W. Wathen, No. 1, p. 47

**The State of the Art in Noise Surveys**—Alex J. Szecsödy, No. 7, p. 574

## AES Conventions

**Convention in Munich**—No. 4, p. 306

**Forty-Second Convention**—No. 5, p. 406

**Forty-Third Convention**—No. 8, p. 670

## Audio Circuits

**Acoustical Circuits Revisited**—Robert Charles Howard, No. 3, p. 185

**Circuit Design Modifications for Minimizing Transient Intermodulation Distortion in Audio Amplifiers**—Matti Otala, No. 5, p. 396

**A Complex Sound System Equalization**—G. R. Thurmond, No. 4, p. 282

**Comments on "Electrical Design and Musical Applications of an Unconditionally Stable Combination Voltage Controlled Filter/Resonator" (L)**—J. Robert Ashley, No. 4, p. 304

**Reply to "Comments on 'Electrical Design and Musical Applications of an Unconditionally Stable Combination Voltage Controlled Filter/Resonator' "**—D. P. Colin, No. 4, p. 304

**A Fail-Safe Audio Power Amplifier (PN)**—Martin Gittleman, No. 9, p. 756

**A High-Accuracy Frequency Shifter for Professional Audio Applications**—Harald Bode and Robert Moog, No. 6, p. 453

**Large-Scale Integration in Organ Design**—Ray B. Schrecongost, No. 4, p. 275

**Model Railroad Sound System**—Herbert T. Chaudiere, No. 8, p. 650

**A Noise-Reduction System: Dynamic Spectral Filtering**—Fred H. Ives, No. 7, p. 558

**Predistortion Techniques for Complex but Predictable Transmission Systems**—Michael A. Gerzon, No. 6, p. 475

**A Quadraphonic Oscilloscope Display Technique**—Donald L. Patten, No. 6, p. 483

**A Reexamination of the S/N Question for Systems With Time-Varying Gain or Frequency Response**—Barry Blesser and Fred Ives, No. 8, p. 638

**A Stereo Program Phase Checker (PN)**—James B. Wood, No. 1, p. 39

**The Strobophone (L)**—L. A. Geddes, J. D. Bourland, and T. W. Coulter, No. 2, p. 115

**Tempered Scale Generation from A Single Frequency Source**—Robert B. Cotton, Jr., No. 5, p. 376

**Time Compression and Expansion of Speech by the Sampling Method**—Francis F. Lee, No. 9, p. 738

**TTL Circuits for Monophonic Devices**—Ralph W. Burhans, No. 10, p. 829

**An Ultraminiature Console Compression System with Maximum User Flexibility**—Barry Blesser, No. 4, p. 297

**Unipot—A Panoramic Potentiometer for Quadrasonic Use (PN)**—Björn Bluthgen, No. 7, p. 580

**Voltage-Controlled Gain in the Audio Channel**—Jan Melis and B. Nijholt, No. 8, p. 629

**Voltage-Controlled Gain in the Audio Channel-Appendix (L)**—Jan Melis and B. Nijholt, No. 9, p. 759

### Bioengineering

**Acoustic Evaluation of Prosthetic Cardiac Valve in the Audio Spectrum**—Benedict Kingsley, No. 9, p. 750

### Broadcasting

**Compatible FM Broadcasting of Panoramic Sound**—J. James Gibson, Roy M. Christensen, and Allen L. R. Limberg, No. 10, p. 816

**The Strobophone (L)**—L. A. Geddes, J. D. Bourland, and T. W. Coulter, No. 2, p. 115

**Telephone Repeater Circuits for Studio Use (PN)**—Ludwig De Kesel, No. 1, p. 41

**UHF Radio Link for Transmission of High-Quality Stereophonic Programs (PN)**—Matti Otala and Ernst v. Knorring, No. 2, p. 106

### Digital Processing

**Digital Speech Data Transmission Using Pitch Synchronous Analysis and Extremal Coding**—Renato De Mori and Angelo Serra, No. 7, p. 562

**Harmonic Structure of PN Sequences**—Ralph W. Burhans, No. 3, p. 210

**High-Quality Professional Recording Using New Digital Techniques**—John P. Myers and Abe Feinberg, No. 8, p. 622

**Portable Data Acquisition Unit for Word Recognition Research**—Herman Levin and William Lord, No. 8, p. 656

**Pseudo-Noise Timbre Generators**—Ralph W. Burhans, No. 3, p. 174

**Time Compression and Expansion of Speech by the Sampling Method**—Francis F. Lee, No. 9, p. 738

### Disc Recording & Reproduction

**Discrete-Matrix Multichannel Stereo**—Duane H. Cooper and Takeo Shiga, No. 5, p. 346

**Correction for "Discrete-Matrix Multichannel Stereo" (PN)**—Duane H. Cooper, No. 6, p. 493

**Four Channel (L)**—Paul W. Klipsch, No. 9, p. 763

**4-2-4-Matrix Systems: Standards, Practice, and Interchangeability**—John Eargle, No. 10, p. 809

**Further Improvements in the Discrete Four-Channel Disc System CD-4**—Isao Owaki, Teruo Muraoka, and Toshiya Inoue, No. 5, p. 361

**Comments on "Groove Echo in Lacquer Masters" (L)**—D. A. Barlow, No. 3, p. 214

**Reply to "Comments on 'Groove Echo in Lacquer Masters'" (L)**—Daniel W. Gravereaux and Benjamin B. Bauer, No. 3, p. 216

**Mechanical Playback Losses and the Design of Wideband Phonograph Pickups**—James V. White, No. 4, p. 265

**Phase-Shift Characteristics of Record Cutters and Pickups**—Daniel W. Gravereaux, Arthur J. Gust, and Benjamin B. Bauer, No. 1, p. 15

**Playback Effects from Matrix Recordings**—Howard M. Durbin, No. 9, p. 729

**A Practical High-Frequency Trackability Test for Phono Pickups**—C. Roger Anderson and Paul W. Jenrick, No. 3, p. 162

**Proposed Universal Encoding Standards for Compatible Four-Channel Matrixing**—R. Itoh, No. 3, p. 167

**Record-Changer Design Considerations of Today**—Robert J. Hammond, No. 4, p. 290

### Editorial

**Audio in Europe (Editorial)**—Peter Burkowitz, No. 10, p. 858

### Electronic Music and Sound Synthesis

**A Clinical Study to Evaluate Rock Music, Symphonic Music and Noise as Sources of Acoustic Trauma**—John P. Barry and Ian B. Thomas, No. 4, p. 271

**Comments on "Electrical Design and Musical Applications of an Unconditionally Stable Combination Voltage Controlled Filter/Resonator" (L)**—J. Robert Ashley, No. 4, p. 304

**Reply to "Comments on 'Electrical Design and Musical Applications of an Unconditionally Stable Combination Voltage Controlled Filter/Resonator'" (L)**—D. P. Colin, No. 4, p. 304

**Digital Speech Data Transmission Using Pitch Synchronous Analysis and Extremal Coding**—Renato De Mori and Angelo Serra, No. 7, p. 562

**Harmonic Structure of PN Sequences**—Ralph W. Burhans, No. 3, p. 210

**A High-Accuracy Frequency Shifter for Professional Audio Applications**—Harald Bode and Robert Moog, No. 6, p. 453

**Large-Scale Integration in Organ Design**—Ray B. Schrecongost, No. 4, p. 275

**Portable Data Acquisition Unit for Word Recognition Research**—Herman Levin and William Lord, No. 8, p. 656

**Pseudo-Noise Timbre Generators**—Ralph W. Burhans, No. 3, p. 174

**SCORE—A Musician's Approach to Computer Music**—Leland Smith, No. 1, p. 7

**Tempered Scale Generation from A Single Frequency Source**—Robert B. Cotton, Jr., No. 5, p. 376

**TTL Circuits for Monophonic Devices**—Ralph W. Burhans, No. 10, p. 829

## Four-Channel Recording

**Discrete-Matrix Multichannel Stereo**—Duane H. Cooper and Takeo Shiga, No. 5, p. 346

**Correction for "Discrete-Matrix Multichannel Stereo" (PN)**—Duane H. Cooper, No. 6, p. 493

**The Effects of Transit Time and Intensity Differentials Upon Recreating Acoustic Fields**—Edward M. Long, No. 2, p. 82

**Four Channel (L)**—Paul W. Klipsch, No. 9, p. 763

**4-2-4 Matrix Systems: Standards, Practice, and Interchangeability**—John Eargle, No. 10, p. 809

**Further Improvements in the Discrete Four-Channel Disc System CD-4**—Isao Owaki, Teruo Muraoka, and Toshiya Inoue, No. 5, p. 361

**The Influence of a Single Echo on the Audibility of Speech**—Helmut Haas, No. 2, p. 145

**Playback Effects from Matrix Recordings**—Howard M. Durbin, No. 9, p. 729

**Proposed Universal Encoding Standards for Compatible Four-Channel Matrixing**—R. Itoh, No. 3, p. 167

**A Quadraphonic Oscilloscope Display Technique**—Donald L. Patten, No. 6, p. 483

**Sound-Image Localization in Multichannel Matrix Reproduction**—Osamu Kohsaka, Eiji Satoh, and Takeshi Nakayama, No. 7, p. 542

**Unipot—A Panoramic Potentiometer for Quadrasonic Use (PN)**—Björn Bluthgen, No. 7, p. 580

## Loudspeakers

**Acoustical Circuits Revisited**—Robert Charles Howard, No. 3, p. 185

**Closed-Box Loudspeaker Systems—Part I: Analysis**—Richard H. Small, No. 10, p. 798

**Comments on "Sound Columns—Practical Design and Applications" (L)**—W. A. M. Ramsbotham, No. 4, p. 303

**Reply to "Comments on 'Sound Columns—Practical Design and Applications'" (L)**—S. Mashiah, No. 4, p. 303

**Delay Effects in Loudspeakers**—Paul W. Klipsch, No. 8, p. 634

**Direct-Radiator Loudspeaker System Analysis**—Richard H. Small, No. 5, p. 383

**Field-Type Artificial Voice**—Harry F. Olson, No. 6, p. 446

**Formulas for Distributed Loudspeaker Systems (L)**—W. Klein, No. 5, p. 401

**Reply to "Formulas for Distributed Loudspeaker Systems" (L)**—Donald B. Davis, No. 5, p. 401

**Laboratory Measurement of Howlback Probability in Speech-Reinforcement Systems**—Daniel Queen, No. 5, p. 370

**Loudspeaker Distortion Associated With Low-Frequency Signals**—H. D. Harwood, No. 9, p. 718

**Modulation Distortion in Loudspeakers: Part III**—Paul W. Klipsch, No. 10, p. 827

**Simplified Loudspeaker Measurements at Low Frequencies**—Richard H. Small, No. 1, p. 28

**The Sound Field in Home Listening Rooms**—Roy F. Allison and Robert Berkovitz, No. 6, p. 459

## Measuring Equipment & Techniques

**Aircraft Infrasonic Noise Evaluation Problems (PN)**—Ralph W. Burhans, No. 6, p. 492

**Circuit Design Modifications for Minimizing Transient Intermodulation Distortion in Audio Amplifiers**—Matti Otala, No. 5, p. 396

**Comparative Stereophonic Listening Tests**—Carl Ceoen, No. 1, p. 19

**Field-Type Artificial Voice**—Harry F. Olson, No. 6, p. 446

**Laboratory Measurement of Howlback Probability in Speech-Reinforcement Systems**—Daniel Queen, No. 5, p. 370

**Loudspeaker Distortion Associated With Low-Frequency Signals**—H. D. Harwood, No. 9, p. 718

**Measurement of the Acoustical Properties of the Concert Hall of the Michael C. Rockefeller Arts Center, State University College at Fredonia, New York (PN)**—C. A. Lincoln and G. Mbundji, No. 10, p. 842

**Measurements of Auditorium Acoustics with a Storage Oscilloscope and Tone Burst Generator (PN)**—Charles A. Lincoln, No. 6, p. 490

**Measurements of the Mechanical Properties of Magnetic Tapes**—Robert A. Finger, Patrick Murphy, and Edward J. Foster, No. 7, p. 549

**Phase-Shift Characteristics of Record Cutters and Pickups**—Daniel W. Gravereaux, Arthur J. Gust, and Benjamin B. Bauer, No. 1, p. 15

**A Practical High-Frequency Trackability Test for Phono Pickups**—C. Roger Anderson and Paul W. Jenrick, No. 3, p. 162

**Simplified Loudspeaker Measurements at Low Frequencies**—Richard H. Small, No. 1, p. 28

**The Sound Field in Home Listening Rooms**—Roy F. Allison and Robert Berkovitz, No. 6, p. 459

**A Stereo Program Phase Checker (PN)**—James B. Wood, No. 1, p. 39

**A VU Meter for the Blind Operator (PN)**—Richard G.

Allen and Ralph A. Antonacci, No. 10, p. 845

### Microphones

**Condenser Microphone Calibration and Response in Deep Diving Environments (L)**—W. W. Mullen, Jr., No. 2, p. 112

### Noise and Vibration Control

**The Advantage and Disadvantage of Hearing Aids in Industry (PN)**—Alex J. Szecsödy, No. 2, p. 109

**Aircraft Infrasonic Noise Evaluation Problems (PN)**—Ralph W. Burhans, No. 6, p. 492

**The State of the Art in Noise Surveys**—Alex J. Szecsödy, No. 7, p. 574

### Psychoacoustics

**A Clinical Study to Evaluate Rock Music, Symphonic Music and Noise as Sources of Acoustic Trauma**—John P. Barry and Ian B. Thomas, No. 4, p. 271

**Comments on "Articulation Loss of Consonants as a Basis for the Design and Judgment of Sound Reinforcement Systems" (L)**—Herbert Chaudiere, No. 5, p. 401

**Reply to "Comments on 'Articulation Loss of Consonants as a Basis for the Design and Judgment of Sound Reinforcement Systems' " (L)**—W. Klein, No. 5, p. 401

**Comparative Stereophonic Listening Tests**—Carl Ceoen, No. 1, p. 19

**Delay Effects in Loudspeakers**—Paul W. Klipsch, No. 8, p. 634

**The Effects of Transit Time and Intensity Differentials Upon Recreating Acoustic Fields**—Edward M. Long, No. 2, p. 82

**The Influence of a Single Echo on the Audibility of Speech**—Helmut Haas, No. 2, p. 145

**Sound-Image Localization in Multichannel Matrix Reproduction**—Osamu Kohsaka, Eiji Satoh, and Takeshi Nakayama, No. 7, p. 542

### Recording Studio Equipment

**High-Quality Professional Recording Using New Digital Techniques**—John P. Myers and Abe Feinberg, No. 8, p. 622

**A Noise-Reduction System: Dynamic Spectral Filtering**—Fred H. Ives, No. 7, p. 558

**Predistortion Techniques for Complex but Predictable Transmission Systems**—Michael A. Gerzon, No. 6, p. 475

**A Reexamination of the S/N Question for Systems With Time-Varying Gain or Frequency Response**—Barry Blesser and Fred Ives, No. 8, p. 638

**Reverberation Chambers**—M. Rettinger, No. 9, p. 734

**Telephone Repeater Circuits for Studio Use (PN)**—Ludwig De Kesel, No. 1, p. 41

**An Ultraminiature Console Compression System with Maximum User Flexibility**—Barry Blesser, No. 4, p. 297

**Voltage-Controlled Gain in the Audio Channel**—Jan Melis and B. Nijholt, No. 8, p. 629

**Voltage-Controlled Gain in the Audio Channel-Appendix (L)**—Jan Melis and B. Nijholt, No. 9, p. 759

**A VU Meter for the Blind Operator (PN)**—Richard G. Allen and Ralph A. Antonacci, No. 10, p. 845

### Sound Systems

**Acoustical and Electroacoustical Arrangement for the Dynamically Focused Room**—Fritz W. Winckel and Manfred Krause, No. 3, p. 198

**Comments on "Articulation Loss of Consonants as a Basis for the Design and Judgment of Sound Reinforcement Systems" (L)**—Herbert T. Chaudiere, No. 5, p. 401

**Reply to "Comments on 'Articulation Loss of Consonants as a Basis for the Design and Judgment of Sound Reinforcement Systems' " (L)**—W. Klein, No. 5, p. 401

**Comments on "Sound Columns—Practical Design and Applications" (L)**—W. A. M. Ramsbotham, No. 4, p. 303

**Reply to "Comments on 'Sound Columns—Practical Design and Applications' " (L)**—S. Mashiah, No. 4, p. 303

**A Complex Sound System Equalization**—G. R. Thurmond, No. 4, p. 282

**Design Room or Sound System? (PN)**—Donald B. Davis, No. 3, p. 208

**The Effects of Transit Time and Intensity Differentials Upon Recreating Acoustic Fields**—Edward M. Long, No. 2, p. 82

**Eleven-Day Sound System for 325 000 People**—Robert F. Ancha, No. 7, p. 568

**Formulas for Distributed Loudspeaker Systems (L)**—W. Klein, No. 5, p. 401

**Reply to "Formulas for Distributed Loudspeaker Systems" (L)**—Donald B. Davis, No. 5, p. 401

**The Influence of a Single Echo on the Audibility of Speech**—Helmut Haas, No. 2, p. 145

**Laboratory Measurement of Howlback Probability in Speech-Reinforcement Systems**—Daniel Queen, No. 5, p. 370

**Measurement of the Acoustical Properties of the Concert Hall of the Michael C. Rockefeller Arts Center, State University College at Fredonia, New York (PN)**—C. A. Lincoln and G. Mbundji, No. 10, p. 842

**Model Railroad Sound System**—Herbert T. Chaudiere, No. 8, p. 650

**The Playback Sound System of The Festival Theatre of Stratford, Ontario, Canada (PN)**—Robert Scales, No. 7, p. 581

**Requirements For Theatre Sound and Communication Systems**—David L. Klepper, No. 8, p. 642

## Speech & Hearing

**The Advantage and Disadvantage of Hearing Aids in Industry (PN)**—Alex J. Szecsody, No. 2, p. 109

**Aircraft Infrasonic Noise Evaluation Problems (PN)**—Ralph W. Burhans, No. 6, p. 492

**A Clinical Study to Evaluate Rock Music, Symphonic Music and Noise as Sources of Acoustic Trauma**—John P. Barry and Ian B. Thomas, No. 4, p. 271

**Digital Speech Data Transmission Using Pitch Synchronous Analysis and Extremal Coding**—Renato De Mori and Angelo Serra, No. 7, p. 562

**The Influence of a Single Echo on the Audibility of Speech**—Helmut Haas, No. 2, p. 145

**Portable Data Acquisition Unit for Word Recognition Research**—Herman Levin and William Lord, No. 8, p. 656

**Soundproofing—An Important Security Factor (L)**—Thomas W. Wathen, No. 1, p. 47

**The State of the Art in Noise Surveys**—A. J. Szecsödy, No. 7, p. 574

**Time Compression and Expansion of Speech by the Sampling Method**—Francis F. Lee, No. 9, p. 738

## Standards

**Advantages of Using Peak Power Ratings Instead of Average Power (L)**—John G. McKnight, No. 7, p. 584

**Comments on "What's a Watt (RMS)?" (L)**—J. G. McKnight, No. 1, p. 46

**Desirability of a Tape Rating System (L)**—Gerald Shirley, No. 9, p. 761

**Reply to "Desirability of a Tape Rating System" (L)**—John G. McKnight, No. 9, p. 762

**Misnomer "RMS Power" (L)**—Paul W. Klipsch, No. 5, p. 402

**Comments on "Misnomer 'RMS Power'" and "'RMS Power' Versus Average Power"**—Hugo A. Bondy, No. 8, p. 664

**More About "RMS Power" (L)**—Richard R. Moore, No. 8, p. 664

**On Accurate Terminology (L)**—J. Robert Ashley, No. 6, p. 494

**Power Specification Conversion Factors (L)**—T. A. Saponas, No. 3, p. 218

**Power Specifications (L)**—R. David Read, No. 9, p. 762

**Proposed Universal Encoding Standards for Compatible Four-Channel Matrixing**—R. Itoh, No. 3, p. 167

**RMS Power: Fact or Fancy (L)**—John Eargle and Bart Locanthi, No. 1, p. 45

**"RMS Power" Versus Average Power (L)**—D. A. Kerr, No. 5, p. 403

## Tape Recording & Reproduction

**Chromium Dioxide Audio Cassette Tape**—Leland K. Jordan, Robert J. Kerr, and John E. Dickens, No. 1, p. 2

**Desirability of a Tape Rating System (L)**—Gerald Shirley, No. 9, p. 761

**Reply to "Desirability of a Tape Rating System" (L)**—John G. McKnight, No. 9, p. 762

**The Effect of Conducting Gap Spacers on the Impedance of Magnetic Heads**—Rudolf Otto, No. 4, p. 258

**The Fringing Response of Magnetic Reproducers at Long Wavelengths**—John G. McKnight, No. 2, p. 100

**An Investigation of the Magnetic Head-Magnetic Tape Contact**—R. R. Arnold, L. Ja. Ananka, and S. V. Marsov, No. 6, p. 470

**Measurements of the Mechanical Properties of Magnetic Tapes**—Robert A. Finger, Patrick Murphy, and Edward J. Foster, No. 7, p. 549

**Production of Dolby B-Type Cassettes**—David Robinson, No. 10, p. 835

**A Stereo Program Phase Checker (PN)**—James B. Wood, No. 1, p. 39

**Tape Noise in Audio Recording**—Eric D. Daniel, No. 2, p. 92

**Velocity Sensing—The Parameter for a Complete Tape Transport Motion Control**—James C. Strickland, No. 9, p. 743

# AUTHOR INDEX


**Allen, Richard G. and Ralph A. Antonacci**—A VU Meter for the Blind Operator (PN), No. 10, p. 845

**Allison, Roy F. and Robert Berkovitz**—The Sound Field in Home Listening Rooms, No. 6, p. 459

**Ananka, L. Ja.**—See Arnold, R. R.

**Ancha, Robert F.**—Eleven-Day Sound System for 325 000 People, No. 7, p. 568

**Anderson, C. Roger and Paul W. Jenrick**—A Practical High-Frequency Trackability Test for Phono Pickups, No. 3, p. 162

**Antonacci, Ralph A.**—See Allen, Richard G.

**Arnold, R. R., L. Ja. Ananka, and S. V. Marsov**—An Investigation of the Magnetic Head-Magnetic Tape Contact, No. 6, p. 470

**Ashley, J. Robert**—Comments on "Electrical Design and Musical Applications of an Unconditionally Stable Combination Voltage Controlled Filter/Resonator" (L), No. 4, p. 304

**Ashley, J. Robert**—On Accurate Terminology (L), No. 6, p. 494

**Barlow, D. A.**—Comments on "Groove Echo in Lacquer Masters" (L), No. 3, p. 214

**Barry, John P. and Ian B. Thomas**—A Clinical Study to Evaluate Rock Music, Symphonic Music and Noise as Sources of Acoustic Trauma, No. 4, p. 271

**Bauer, Benjamin B.**—See Gravereaux, Daniel W.

**Berkovitz, Robert**—See Allison, Roy F.

**Blesser, Barry**—An Ultraminiature Console Compression System with Maximum User Flexibility, No. 4, p. 297

**Blesser, Barry and Fred Ives**—A Reexamination of the S/N Question for Systems With Time-Varying Gain or Frequency Response, No. 8, p. 638

**Bluthgen, Bjorn**—Unipot—A Panoramic Potentiometer for Quadrasonic Use (PN), No. 7, p. 580

**Bode, Harald and Robert Moog**—A High-Accuracy Frequency Shifter for Professional Audio Applications, No. 6, p. 453

**Bondy, Hugo A.**—Comments on "Misnomer 'RMS Power'" and "'RMS Power' Versus Average Power" (L), No. 8, p. 664

**Bourland, J. D.**—See Geddes, L. A.

**Burhans, Ralph W.**—Aircraft Infrasonic Noise Evaluation Problems (PN), No. 6, p. 492

**Burhans, Ralph W.**—Harmonic Structure of PN Sequences (PN), No. 3, p. 210

**Burhans, Ralph W.**—Pseudo-Noise Timbre Generators, No. 3, p. 174

**Burhans, Ralph W.**—TTL Circuits for Monophonic Devices, No. 10, p. 829

**Burkowitz, Peter**—Audio in Europe (Editorial), No. 10, p. 858

**Cable, Cecil R.**—Acoustics and the Active Enclosure, No. 10, p. 823

**Ceoen, Carl**—Comparative Stereophonic Listening Tests, No. 1, p. 19

**Chaudiere, Herbert T.**—Comments on "Articulation Loss of Consonants as a Basis for the Design and Judgment of Sound Reinforcement Systems" (L)—No. 5, p. 401

**Chaudiere, Herbert T.**—Model Railroad Sound System, No. 8, p. 650

**Christensen, Roy M.**—See Gibson, J. James

**Colin, D. P.**—Reply to "Comments on 'Electrical Design

and Musical Applications of an Unconditionally Stable Combination Voltage Controlled Filter/Resonator' " (L), No. 4, p. 304

**Cooper, Duane H. and Takeo Shiga**—Discrete-Matrix Multichannel Stereo, No. 5, p. 346

**Cooper, Duane H.**—Correction for "Discrete-Matrix Multichannel Stereo" (PN), No. 6, p. 493

**Cotton, Robert B.**—Tempered Scale Generation from A Single Frequency Source, No. 5, p. 376

**Coulter, T. W.**—See Geddes, L. A.

**Daniel, Eric D.**—Tape Noise in Audio Recording, No. 2, p. 92

**Davis, Donald B.**—Design Room or Sound System? (PN), No. 3, p. 208

**Davis, Donald B.**— Reply to "Formulas for Distributed Loudspeaker Systems" (L), No. 5, p. 401

**De Kesel, Ludwig**—Telephone Repeater Circuits for Studio Use (PN), No. 1, p. 41

**De Mori, Renato and Angelo Serra**—Digital Speech Data Transmission Using Pitch Synchronous Analysis and Extremal Coding, No. 7, p. 562

**Dickens, John E.**—See Jordan, Leland K.

**Durbin, Howard M.**—Playback Effects from Matrix Recordings, No. 9, p. 729

**Eargle, John**—4-2-4-Matrix Systems: Standards, Practice, and Interchangeability, No. 10, p. 809

**Eargle, John and Bart Locanthi**—RMS Power: Fact or Fancy (L), No. 1, p. 45

**Farrell, Ranger**—Room Acoustics of Studios, No. 1, p. 34

**Feinberg, Abe**—See Myers, John P.

**Finger, Robert A., Patrick Murphy, and Edward J. Foster**—Measurements of the Mechanical Properties of Magnetic Tapes, No. 7, p. 549

**Foster, Edward J.**—See Finger, Robert A.

**Geddes, L. A., J. D. Bourland, and T. W. Coulter**—The Strobophone (L), No. 2, p. 115

**Gerzon, Michael A.**—Predistortion Techniques for Complex but Predictable Transmission Systems, No. 6, p. 475

**Gibson, J. James, Roy M. Christensen, and Allen L. R. Limberg**—Compatible FM Broadcasting of Panoramic Sound, No. 10, p. 816

**Gittleman, Martin**—A Fail-Safe Audio Power Amplifier (PN), No. 9, p. 756

**Gravereaux, Daniel W., Arthur J. Gust and Benjamin B. Bauer**—Phase-Shift Characteristics of Record Cutters and Pickups, No. 1, p. 15

**Gravereaux, Daniel W. and Benjamin B. Bauer**—Reply to "Comments on 'Groove Echo in Lacquer Masters' " (L), No. 3, p. 216

**Gust, Arthur J.**—See Gravereaux, Daniel W.

**Haas, Helmut**—The Influence of a Single Echo on the Audibility of Speech, No. 2, p. 145

**Hammond, Robert J.**—Record-Changer Design Consideration of Today, No. 4, p. 290

**Harwood, H. D.**—Loudspeaker Distortion Associated With Low-Frequency Signals, No. 9, p. 718

**Howard, Robert Charles**—Acoustical Circuits Revisited, No. 3, p. 185

**Inoue, Toshiya**—See Owaki, Isao

**Itoh, R.**—Proposed Universal Encoding Standards for Compatible Four-Channel Matrixing, No. 3, p. 167

**Ives, Fred H.**—A Noise-Reduction System: Dynamic Spectral Filtering, No. 7, p. 558

**Ives, Fred**—See Blesser, Barry

**Jenrick, Paul W.**—See Anderson, C. Roger

**Jordan, Leland K., Robert J. Kerr, and John E. Dickens**—Chromium Dioxide Audio Cassette Tape, No. 1, p. 2

**Kerr, D. A.**—"RMS Power" Versus Average Power (L), No. 5, p. 403

**Kerr, Robert J.**—See Jordan, Leland K.

**Kingsley, Benedict**—Acoustic Evaluation of Prosthetic Cardiac Valve In the Audio Spectrum, No. 9, p. 750

**Klein, W.**—Formulas for Distributed Loudspeaker Systems (L), No. 5, p. 401

**Klein, W.**—Reply to "Comments on 'Articulation Loss of Consonants as a Basis for the Design and Judgment of Sound Reinforcement Systems' " (L), No. 5, p. 401

**Klepper, David L.**—Requirements For Theatre Sound and Communication Systems, No. 8, p. 642

**Klipsch, Paul W.**—Delay Effects in Loudspeakers, No. 8, p. 634

**Klipsch, Paul W.**—Four-Channel (L), No. 9, p. 763

**Klipsch, Paul W.**—Misnomer "RMS Power" (L), No. 5, p. 402

**Klipsch, Paul W.**—Modulation Distortion in Loudspeakers: Part III, No. 10, p. 827

**Kohsaka, Osamu, Eiji Satoh, and Takeshi Nakayama**—Sound-Image Localization in Multichannel Matrix Reproduction, No. 7, p. 542

**Krause, Manfred**—See Winckel, Fritz W.

**Lee, Francis F.**—Time Compression and Expansion of Speech by the Sampling Method, No. 9, p. 738

**Levin, Herman and William Lord**—Portable Data Acquisition Unit for Word Recognition, No. 8, p. 656

**Limberg, Allen L. R.**—See Gibson, J. James

**Lincoln, Charles A. and G. Mbundji**—Measurement of the Acoustical Properties of the Concert Hall of the Michael C. Rockefeller Arts Center, State University College at Fredonia, New York (PN), No. 10, p. 842

**Lincoln, Charles A.**—Measurements of Auditorium

Acoustics with a Storage Oscilloscope and Tone Burst Generator (PN), No. 6, p. 490

**Locanthi, Bart**—See Eargle, John

**Long, Edward M.**—The Effects of Transit Time and Intensity Differentials Upon Recreating Acoustic Fields, No. 2, p. 82

**Lord, William**—See Levin, Herman

**Marsov, S. V.**—See Arnold, R. R.

**Mashiah, S.**—Reply to "Comments on 'Sound Columns–Practical Design and Applications' " (L), No. 4, p. 303

**Mbundji, G.**—See Lincoln, C. A.

**McKnight, John G.**—Advantages of Using Peak Power Ratings Instead of Average Power (L), No. 7, p. 584

**McKnight, John G.**—Comments on "What's a Watt (RMS)?" (L), No. 1, p. 46

**McKnight, John G.**—The Fringing Response of Magnetic Reproducers at Long Wavelengths, No. 2, p. 100

**McKnight, John G.**—Reply to "Desirability of a Tape Rating System" (L), No. 9, p. 762

**Melis, Jan and B. Nijholt**—Voltage-Controlled Gain in the Audio Channel, No. 8, p. 629

**Melis, Jan and B. Nijholt**—Voltage-Controlled Gain in the Audio Channel-Appendix (L), No. 9, p. 759

**Moog, Robert**—See Bode, Harald

**Moore, Richard R.**—More About "RMS Power" (L), No. 8, p. 664

**Mullen, W. W. Jr.**—Condenser Microphone Calibration and Response in Deep Diving Environments (L), No. 2, p. 112

**Muraoka, Teruo**—See Owaki, Isao

**Murphy, Patrick**—See Finger, Robert A.

**Myers, John P. and Abe Feinberg**—High-Quality Professional Recording Using New Digital Techniques, No. 8, p. 622

**Nakayama, Takeshi**—See Kohsaka, Osamu

**Nijholt, B.**—See Melis, Jan

**Olson, Harry F.**—Field-Type Artificial Voice, No. 6, p. 446

**Otala, Matti**—Circuit Design Modifications for Minimizing Transient Intermodulation Distortion in Audio Amplifiers, No. 5, p. 396

**Otala, Matti and Ernst v. Knorring**—UHF Radio Link for Transmission of High-Quality Stereophonic Programs (PN), No. 2, p. 106

**Otto, Rudolf**—The Effect of Conducting Gap Spacers on the Impedance of Magnetic Heads, No. 4, p. 258

**Owaki, Isao, Teruo Muraoka, and Toshiya Inoue**—Further Improvements in the Discrete Four-Channel Disc System CD-4, No. 5, p. 361

**Patten, Donald L.**—A Quadraphonic Oscilloscope Display Technique, No. 6, p. 483

**Queen, Daniel**—Laboratory Measurement of Howlback Probability in Speech-Reinforcement Systems, No. 5, p. 370

**Ramsbotham, W. A. M.**—Comments on "Sound Columns-Practical Design and Applications" (L), No. 4, p. 303

**Read, R. David**—Power Specifications (L), No. 9, p. 762

**Rettinger, M.**—Reverberation Chambers, No. 9, p. 734

**Robinson, David**—Production of Dolby B-Type Cassettes, No. 10, p. 835

**Saponas, T. A.**—Power Specification Conversion Factors (L), No. 3, p. 218

**Satoh, Eiji**—See Kohsaka, Osamu

**Scales, Robert**—The Playback Sound System of The Festival Theatre of Stratford, Ontario, Canada (PN), No. 7, p. 581

**Schrecongost, Ray B.**—Large-Scale Integration in Organ Design, No. 4, p. 275

**Serra, Angelo**—See De Mori, Renato

**Shiga, Takeo**—See Cooper, Duane H.

**Shirley, Gerald**—Desirability of a Tape Rating System (L), No. 9, p. 761

**Small, Richard H.**—Closed-Box Loudspeaker Systems—Part I: Analysis, No. 10, p. 798

**Small, Richard H.**—Direct-Radiator Loudspeaker System Analysis, No. 5, p. 383

**Small, Richard H.**—Simplified Loudspeaker Measurements at Low Frequencies, No. 1, p. 28

**Smith, Leland**—SCORE—A Musician's Approach to Computer Music, No. 1, p. 7

**Strickland, James C.**—Velocity Sensing—The Parameter for a Complete Tape Transport Motion Control, No. 9, p. 743

**Szecsody, Alex J.**—The Advantage and Disadvantage of Hearing Aids in Industry (PN), No. 2, p. 109

**Szecsody, Alex J.**—The State of the Art in Noise Surveys, No. 7, p. 574

**Thomas, Ian B.**—See Barry, John P.

**Thurmond, G. R.**—A Complex Sound System Equalization, No. 4, p. 282

**v. Knorring, Ernst**—See Otala, Matti

**Wathen, Thomas**—Soundproofing—An Important Security Factor (L), No. 1, p. 47

**White, James V.**—Mechanical Playback Losses and the Design of Wideband Phonograph Pickups, No. 4, p. 265

**Winckel, Fritz W. and Manfred Krause**—Acoustical and Electroacoustical Arrangement for the Dynamically Focused Room, No. 3, p. 198

**Wood, James B.**—A Stereo Program Phase Checker (PN), No. 1, p. 39

AUDIO
A
ES